

View Online at <https://aerobasegroup.com/nsn/4140-00-009-3586>

**Speed Adjustments:**

Single speed

**Width:**

8.906 inches

**Length:**

4.469 inches

**Operating Speed At Rated Capacity In Rpm:**

5700.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

2.500 inches

**Outlet Inside Height:**

1.781 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

4 threaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Features Provided:**

Safety impeller guard

**Air Flow Rate:**

165.0 cubic feet per minute

**Outlet Location:**

Bottom

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.100 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical down

**Phase:**

Three

**Special Features:**

Mtg by outlet flanges or tapped mtg flats on motor permit alternate discharge blast directions; rim inlet w/hose clamp

**Frequency In Hertz:**

400.0

**Height:**

5.260 inches

**Material:**

Steel

**Surface Treatment:**

Zinc blade

**Style Designator:**

Fixed, dual impeller, rectangular outlet

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0