

View Online at <https://aerobasegroup.com/nsn/4140-00-015-6729>

**Speed Adjustments:**

Single speed

**Length:**

Between 6.260 inches and 6.500 inches

**Flow Direction:**

Inward

**Environmental Protection:**

Moisture resistant

**Ambient Temperature At Full Rated Power:**

-32.0 degrees celsius and 70.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

5400.0

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

4 threaded hole

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

1600.0 cubic feet per minute

**Voltage In Volts And Current Type:**

208.0 ac

**Prime Mover Power Rating:**

0.600 horsepower

**Phase:**

Three

**Frequency In Hertz:**

400.0

**Material:**

Aluminum blade

**Surface Treatment:**

Anodize blade

**Style Designator:**

Fixed

**Test Data Document:**

24930-g830054s1 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0