

View Online at <https://aerobasegroup.com/nsn/4140-00-021-2807>

**Speed Adjustments:**

Single speed

**Diameter:**

4.125 inches

**Length:**

1.500 inches

**Flow Direction:**

Inward

**Environmental Protection:**

Dustproof and moisture resistant and shock proof and vibration proof

**Operating Speed At Rated Capacity In Rpm:**

3400.0

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 flange and 8 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

120.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.029 horsepower

**Housing Inside Diameter:**

4.280 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Special Features:**

4.69 in. Sq flange w/hole ea corner at both ends of venturi tube

**Frequency In Hertz:**

400.0

**Material:**

Zinc housing

**Surface Treatment:**

Chromate and enamel semigloss housing outside

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0