

View Online at <https://aerobasegroup.com/nsn/4140-00-083-6072>

Speed Adjustments:

Single speed

Width:

7.245 inches

Length:

6.250 inches

Ambient Temperature At Full Rated Power:

-55.0 degrees celsius and 85.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

3300.0

Electrical Connection Type:

Wire lead

Outlet Inside Width:

2.720 inches

Outlet Inside Height:

2.500 inches

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

1 clamp and 4 threaded hole

Rotation Direction For Which Designed:

Counterclockwise

Features Provided:

Nonsparking

Air Flow Rate:

200.0 cubic feet per minute

Outlet Location:

Bottom and top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.160 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Angular down and angular up and horizontal and vertical down and vertical up

Phase:

Three

Special Features:

Positioning when mtg determines direction of discharge blast, class f insulation motor windings

Frequency In Hertz:

400.0

Height:

6.875 inches

Material:

Steel

Surface Treatment:

Zinc blade

Style Designator:

Fixed, rectangular outlets

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0