NSN 4140-00-134-4463

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-134-4463

| Speed Adjustments: |
|--|
| Single speed |
| Diameter: |
| 4.220 inches |
| Length: |
| 1.500 inches |
| Flow Direction: |
| Outward |
| Ambient Tempurature At Full Rated Power: |
| 72.0 degrees celsius |
| Operating Speed At Rated Capacity In Rpm: |
| 3200.0 |
| Electrical Connection Type: |
| Lead, molded-in |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water |
| Drive Type: |
| Direct |
| Prime Mover Type: |
| Electric motor |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Type And Quantity: |
| 4 unthreaded hole |
| Rotation Direction For Which Designed: |
| Counterclockwise |
| Features Provided: |
| Nonsparking |
| Air Flow Rate: |
| 88.0 cubic feet per minute and 105.0 cubic feet per minute |
| Voltage In Volts And Current Type: |
| 115.0 ac |
| Prime Mover Power Rating: |
| 14.000 watts and 15.000 watts |
| Housing Inside Diameter: |
| 4.500 inches |
| Prime Mover Drive Shaft Bearing Type: |
| Sleeve |
| Phase: |
| Single |
| Frequency In Hertz: |

50.0 and 60.0

NSN 4140-00-134-4463

Tubeaxial Fan - Page 2 of 2



| Material: |
|-----------|
|-----------|

Plastic phenolic housing

Quantity:

1

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0