

View Online at <https://aerobasegroup.com/nsn/4140-00-141-0123>

Speed Adjustments:

Single speed

Diameter:

4.450 inches

Length:

1.500 inches

Flow Direction:

Outward

Environmental Protection:

Dustproof and moisture resistant

Ambient Temperature At Full Rated Power:

Not rated

Operating Speed At Rated Capacity In Rpm:

3400.0

Electrical Connection Type:

Connector receptacle

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange and 8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

130.0 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.026 horsepower

Housing Inside Diameter:

4.517 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Special Features:

4.69 in. Sq flange w/hole ea corner at both ends of venturi tube

Frequency In Hertz:

400.0

Material:

Zinc alloy housing

Quantity:

1

Surface Treatment:

Enamel housing

Style Designator:

Fixed

Test Data Document:

07342-776442 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0