

View Online at <https://aerobasegroup.com/nsn/4140-00-145-7334>

**Speed Adjustments:**

Single speed

**Length:**

1.540 inches

**Flow Direction:**

Outward

**Environmental Protection:**

Moisture resistant

**Ambient Temperature At Full Rated Power:**

-54.0 degrees celsius and 71.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

22500.0

**Electrical Connection Type:**

Terminal

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 rim

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

12.0 cubic feet per minute

**Voltage In Volts And Current Type:**

26.0 ac

**Prime Mover Power Rating:**

0.017 horsepower

**Housing Inside Diameter:**

2.141 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Special Features:**

Mtg rim located on discharge end

**Frequency In Hertz:**

400.0

**Material:**

Plastic blade

**Style Designator:**

Fixed

**Test Data Document:**

06481-917088-1 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A087a0