

View Online at <https://aerobasegroup.com/nsn/4140-00-222-1142>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Length:**

1.468 inches

**Flow Direction:**

Outward

**Unable To Decode:**

Unable to decode and unable to decode and unable to decode and unable to decode and unable to decode and unable to decode

**Ambient Temperature At Full Rated Power:**

Not rated

**Operating Speed At Rated Capacity In Rpm:**

11000.0

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange and 4 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

32.0 cubic feet per minute

**Voltage In Volts And Current Type:**

200.0 ac

**Prime Mover Power Rating:**

0.024 horsepower

**Housing Inside Diameter:**

1.990 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Three

**Special Features:**

W/2.25 in. Sq flange w/hole ea corner at discharge end of venturi tube

**Frequency In Hertz:**

400.0

**Material:**

Aluminum

**Surface Treatment:**

Paint

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0