

View Online at <https://aerobasegroup.com/nsn/4140-00-231-1414>

Speed Adjustments:

Single speed

Width:

3.438 inches

Diameter:

4.375 inches

Length:

1.500 inches

Flow Direction:

Outward

Environmental Protection:

Moisture resistant

Ambient Temperature At Full Rated Power:

-25.0 degrees fahrenheit and 175.0 degrees fahrenheit

Operating Speed At Rated Capacity In Rpm:

5200.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange and 8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

75.000 cubic feet per minute

Voltage In Volts And Current Type:

200.0 ac

Prime Mover Power Rating:

0.014 horsepower

Housing Inside Diameter:

3.250 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Height:

3.625 inches

Material:

Zinc alloy housing

Quantity:

1

Surface Treatment:

Enamel semigloss housing

Style Designator:

Fixed

Test Data Document:

30003-247asc0314-001 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0