NSN 4140-00-234-7220

Vaneaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-234-7220 Stage Quantity: **Speed Adjustments:** Single speed Diameter: 1.468 inches Length: 1.468 inches Flow Direction: Outward **Ambient Tempurature At Full Rated Power:** 100.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 11000.0 **Electrical Connection Type:** Wire lead Static Pressure At Specificationified Air Flow Rate: 1.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 4 unthreaded hole **Rotation Direction For Which Designed:** Counterclockwise **Features Provided:** Nonsparking Air Flow Rate: 32.0 cubic feet per minute **Voltage In Volts And Current Type:** 200.0 ac **Housing Inside Diameter:** 1.990 inches **Prime Mover Drive Shaft Bearing Type:** Ball Phase: Three

Frequency In Hertz: 400.0

NSN 4140-00-234-7220

Vaneaxial Fan - Page 2 of 2

Material:

Mil-e-5557 spec.



| Aluminum |
|---|
| Material Specification: |
| Mil-e-5557, type iv military specification single material response |
| Quantity: |
| 1 |
| Surface Treatment: |
| Paint |
| Style Designator: |
| Fixed |
| Shelf Life: |
| N/a |
| Unit Of Measure: |
| |
| Demilitarization: |
| No |
| Fiig: |
| A087a0 |
| Mil-std (military Standard): |