

View Online at <https://aerobasegroup.com/nsn/4140-00-240-1839>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Environmental Protection:**

Dripproof

**Ambient Temperature At Full Rated Power:**

65.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

1660.0

**Outlet Inside Width:**

26.125 inches

**Outlet Inside Height:**

33.000 inches

**Static Pressure At Specificationified Air Flow Rate:**

9.4 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

17750.000 cubic feet per minute

**Outlet Location:**

Bottom

**Voltage In Volts And Current Type:**

230.0 dc

**Prime Mover Power Rating:**

35.000 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical down

**Material:**

Steel housing

**Quantity:**

1

**Surface Treatment:**

Zinc housing outside

**Style Designator:**

Fixed, rectangular outlets

**Reference Number Differentiating Characteristics:**

As differentiated by cw rotation as viewed facing the driving side

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0