

View Online at <https://aerobasegroup.com/nsn/4140-00-248-6076>

Speed Adjustments:

Single speed

Diameter:

4.450 inches

Length:

1.500 inches

Flow Direction:

Outward

Ambient Temperature At Full Rated Power:

-20.0 degrees celsius and 158.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

3150.0

Electrical Connection Type:

Terminal

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange and 8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

117.0 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.037 horsepower

Housing Inside Diameter:

4.517 inches

Prime Mover Drive Shaft Bearing Type:

Sleeve

Phase:

Single

Special Features:

W/4.68 in. Sq flange w/hole ea corner at both ends of venturi tube

Frequency In Hertz:

50.0 and 60.0

Material:

Zinc alloy housing

Quantity:

1

Surface Treatment:

Enamel housing

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0