

View Online at <https://aerobasegroup.com/nsn/4140-00-254-4814>

Diameter:

18.000 inches

Flow Direction:

Reversible

Operating Speed At Rated Capacity In Rpm:

1140.0

Electrical Connection Type:

Cord w/attached plug

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Rotation Direction For Which Designed:

Clockwise and counterclockwise

Features Provided:

Safety impeller guard

Air Flow Rate:

2500.000 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.125 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Special Features:

Equipped w/manual starter, manual reset and gravity shutter, as modified by additional equipment

Frequency In Hertz:

60.0

Material:

Stainless steel blade

Quantity:

1

Surface Treatment:

Paint

Surface Treatment Specification:

595, 16187 federal standard single treatment response

Specification Or Standard:

1 type and 1 class and a style and 18 size

Departure From Cited Designator (non-core):

As modified by additional equipment

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0