

View Online at <https://aerobasegroup.com/nsn/4140-00-269-7920>

Speed Adjustments:

Single speed

Diameter:

4.750 inches

Length:

5.9375 inches

Flow Direction:

Inward

Environmental Protection:

Dustproof

Ambient Temperature At Full Rated Power:

Not rated

Operating Speed At Rated Capacity In Rpm:

7400.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Partially enclosed

Mounting Facility Type And Quantity:

2 flange

Rotation Direction For Which Designed:

Clockwise

Features Provided:

Nonsparking

Air Flow Rate:

240.0 cubic feet per minute

Voltage In Volts And Current Type:

105.0 ac or 125.0 ac

Prime Mover Power Rating:

0.066 horsepower

Housing Inside Diameter:

5.562 inches

Prime Mover Drive Shaft Bearing Type:

Sleeve

Phase:

Single

Frequency In Hertz:

400.0

Material:

Aluminum

Quantity:

1

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625 military specification single treatment response

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0

Mil-std (military Standard):

Mil-a-8625 spec.