NSN 4140-00-289-4334

Vaneaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-289-4334 Stage Quantity: **Speed Adjustments:** Single speed Length: 4.938 inches Flow Direction: Outward **Ambient Tempurature At Full Rated Power:** 70.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 1450.0 **Electrical Connection Type:** Cord w/attached plug Static Pressure At Specificationified Air Flow Rate: 0.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 3 unthreaded hole **Rotation Direction For Which Designed:** Counterclockwise **Features Provided:** Safety impeller guard **Voltage In Volts And Current Type:** 115.0 ac **Prime Mover Power Rating:** 0.020 horsepower **Housing Inside Diameter:** 6.125 inches **Prime Mover Drive Shaft Bearing Type:** Sleeve Phase: Single Frequency In Hertz: 400.0 Material:

Plastic blade

NSN 4140-00-289-4334

Vaneaxial Fan - Page 2 of 2



_		_		
CHIP	face	Iros	atm.	ant.

Enamel housing outside

Style Designator:

Fixed

Fsc Application Data:

Radio set, radio navigation, airborne

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A087a0