## NSN 4140-00-289-8870

Vaneaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-289-8870

Stage	Quantity:
1	
Speed	Adjustments:
Single	speed
Diame	ter:
14.000	inches
Length	1:
20.000	inches
Flow D	Direction:
Outwa	rd
Ambie	nt Tempurature At Full Rated Power:
55.0 de	egrees celsius
Operat	ting Speed At Rated Capacity In Rpm:
3450.0	1
Electri	cal Connection Type:
Termin	al block
Drive 1	Гуре:
Direct	
Prime	Mover Type:
Electric	c motor
Inclos	ure Type:
Fully e	nclosed
Mount	ing Facility Type And Quantity:
1 flang	e
Rotatio	on Direction For Which Designed:
Clockw	vise
Voltag	e In Volts And Current Type:
440.0 a	ac
Prime	Mover Power Rating:
1.250 ł	norsepower
Housir	ng Inside Diameter:
14.250	inches
Prime	Mover Drive Shaft Bearing Type:
Ball	
Phase	:
Three	
Freque	ency In Hertz:
60.0	
Materi	al:
Alumin	um alloy housing
Materi	al Specification:

Qq-a-250/11 federal specification single material response housing

## NSN 4140-00-289-8870

Vaneaxial Fan - Page 2 of 2



Quantity:

1

Style Designator:

Fixed

## Test Data Document:

81349-mil-f-18953 specification (includes engineering type bulletins, brochures, etc., that reflect specification type data in specification format; excludes commercial catalogs, industry directories, and similar trade publications, reflecting general type data on certain environmental and performance requirements and test conditions that are shown as "typical", "average", "", etc.). **Shelf Life:** 

•.....

N/a

Unit Of Measure:

---

Demilitarization:

No

Fiig:

A087a0