

View Online at <https://aerobasegroup.com/nsn/4140-00-313-2327>

Stage Quantity:

1

Speed Adjustments:

Single speed

Width:

4.930 inches

Length:

3.720 inches

Operating Speed At Rated Capacity In Rpm:

3350.0

Electrical Connection Type:

Terminal block

Outlet Inside Width:

1.470 inches

Outlet Inside Height:

1.410 inches

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange and 8 unthreaded hole

Rotation Direction For Which Designed:

Clockwise and counterclockwise

Air Flow Rate:

43.0 cubic feet per minute

Outlet Location:

Top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.016 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Vertical up

Phase:

Single

Height:

3.660 inches

Material:

Steel

Surface Treatment:

Zinc housing and enamel housing

Style Designator:

Fixed, dual impeller, rectangular outlet

Test Data Document:

21877-9126c7002 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0