

View Online at <https://aerobasegroup.com/nsn/4140-00-406-1659>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

1.468 inches

Flow Direction:

Outward

Ambient Temperature At Full Rated Power:

-55.0 degrees celsius and 85.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

18500.0

Electrical Connection Type:

Terminal block

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

22.5 cubic feet per minute

Voltage In Volts And Current Type:

28.0 dc

Housing Inside Diameter:

1.500 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Single

Frequency In Hertz:

400.0

Material:

Aluminum

Surface Treatment:

Enamel housing outside

Style Designator:

Fixed

Test Data Document:

13499-009-1865 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0