

View Online at <https://aerobasegroup.com/nsn/4140-00-408-5647>

Stage Quantity:

1

Speed Adjustments:

Single speed

Diameter:

2.620 inches

Length:

2.469 inches

Flow Direction:

Outward

Environmental Protection:

Dustproof and humidity proof and salt spray resistant and vibration proof

Ambient Temperature At Full Rated Power:

55.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

16000.0

Electrical Connection Type:

Terminal block

Static Pressure At Specificationified Air Flow Rate:

1.2 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 ring

Rotation Direction For Which Designed:

Counterclockwise

Features Provided:

Safety impeller guard

Air Flow Rate:

90.0 cubic feet per minute

Voltage In Volts And Current Type:

200.0 ac

Prime Mover Power Rating:

0.100 horsepower

Housing Inside Diameter:

2.660 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Material:

Aluminum alloy

Quantity:

1

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0