NSN 4140-00-408-9842

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-408-9842

Speed	Adjustments:
Single	speed
Width	
3.125 i	nches
Lengtl	1:
1.635 i	
Flow [Direction:
Outwa	rd
Opera	ting Speed At Rated Capacity In Rpm:
2800.0	
End A	pplication:
W/s: n	neteorological and weather network 433l; milstar system; deep submergence systems programs (dssp); support equipment, b-52
aircraft	; defense meteorological satellite program (dmsp); submarine communications and antenna systems; missile, air launch cruise
(alcm)	agm-86b; communications systems, an/wrr-7
Electri	cal Connection Type:
Termir	al
Static	Pressure At Specificationified Air Flow Rate:
0.0 inc	hes of water
Drive ⁻	Гуре:
Direct	
Prime	Mover Type:
Electric	c motor
Inclos	ure Type:
Fully e	nclosed
Mount	ing Facility Type And Quantity:
2 flang	e and 8 unthreaded hole
Rotati	on Direction For Which Designed:
Clockv	<i>l</i> ise
Air Flo	w Rate:
33.000	cubic feet per minute
Voltag	e In Volts And Current Type:
115.0 a	ac
Prime	Mover Power Rating:
0.201 I	norsepower
Housi	ng Inside Diameter:
2.812 i	nches
Phase	:
Single	
Freque	ency In Hertz:
50.0 ai	nd 60.0
Height	
3.125 i	nches
Materi	al:

Plastic polycarbonate blade

NSN 4140-00-408-9842

Tubeaxial Fan - Page 2 of 2

Surface Treatment:

Paint housing

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A087a0

