

View Online at <https://aerobasegroup.com/nsn/4140-00-412-2076>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

2.125 inches

Flow Direction:

Inward

Operating Speed At Rated Capacity In Rpm:

13000.0 and 20000.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

1 flange and 4 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

31.0 cubic feet per minute

Voltage In Volts And Current Type:

208.0 ac

Prime Mover Power Rating:

0.020 horsepower

Housing Inside Diameter:

2.000 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Special Features:

W/2.12 in. Sq flange w/hole ea corner at intake end of venturi tube

Frequency In Hertz:

400.0

Material:

Zinc alloy housing

Surface Treatment:

Enamel housing

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0