

View Online at <https://aerobasegroup.com/nsn/4140-00-430-9720>

**Stage Quantity:**

1

**Width:**

19.000 inches

**Length:**

12.406 inches

**Environmental Protection:**

Fungus proof and moisture resistant

**Ambient Temperature At Full Rated Power:**

-6.7 degrees celsius and 143.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

3000.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Diameter:**

3.500 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Rotation Direction For Which Designed:**

Clockwise and counterclockwise

**Features Provided:**

Radio interference shielding and safety impeller guard

**Air Flow Rate:**

290.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.176 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Angular up

**Phase:**

Single

**Special Features:**

Outlet located on back

**Frequency In Hertz:**

50.0 and 60.0

**Height:**

5.250 inches

**Material:**

Steel housing

**Quantity:**

2

**Surface Treatment:**

Enamel housing outside

**Style Designator:**

Fixed, dual, round outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0