

View Online at <https://aerobasegroup.com/nsn/4140-00-456-6139>

**Speed Adjustments:**

Single speed

**Width:**

69.875 inches

**Length:**

47.125 inches

**Environmental Protection:**

Spray tight

**Ambient Temperature At Full Rated Power:**

149.0 degrees fahrenheit

**Operating Speed At Rated Capacity In Rpm:**

1150.0

**End Application:**

W/s: tarawa class lha; wasp class lhd; fans; forrestal class cv; nimitz class cvn

**Electrical Connection Type:**

Terminal block

**Outlet Inside Width:**

18.625 inches

**Outlet Inside Height:**

24.875 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange

**Rotation Direction For Which Designed:**

Clockwise

**Features Provided:**

Nonsparking

**Air Flow Rate:**

8000.0 cubic feet per minute

**Outlet Location:**

Top

**Voltage In Volts And Current Type:**

440.0 ac

**Prime Mover Power Rating:**

7.500 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Horizontal

**Phase:**

Three

**Frequency In Hertz:**

60.0

**Height:**

56.375 inches

**Material:**

Aluminum alloy housing

**Surface Treatment:**

Zinc housing outside

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0