NSN 4140-00-478-2012

Centrifugal Fan - Page 1 of 2

Stage Quantity:



View Online at https://aerobasegroup.com/nsn/4140-00-478-2012

| Speed Adjustments: |
|--|
| Single speed |
| Width: |
| 5.313 inches |
| Length: |
| 7.219 inches |
| Environmental Protection: |
| Splash proof |
| Operating Speed At Rated Capacity In Rpm: |
| 3300.0 |
| Electrical Connection Type: |
| Wire lead |
| Outlet Inside Width: |
| 2.750 inches |
| Outlet Inside Height: |
| 1.469 inches |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water |
| Drive Type: |
| Direct |
| Prime Mover Type: |
| Electric motor |
| Inclosure Type: |
| Fully enclosed |
| Rotation Direction For Which Designed: |
| Counterclockwise |
| Air Flow Rate: |
| 145.0 cubic feet per minute |
| Voltage In Volts And Current Type: |
| 115.0 ac |
| Phase: |
| Three |
| Height: |
| 7.781 inches |
| Material: |
| Steel housing |
| Quantity: |
| 1 |
| Surface Treatment: |
| Zinc housing outside |

NSN 4140-00-478-2012

Centrifugal Fan - Page 2 of 2



| Style | Des | siar | nato | r- |
|-------|-----|------|------|----|
| Otylo | | , gi | iato | |

Fixed, inverted, rectangular outlet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0