

View Online at <https://aerobasegroup.com/nsn/4140-00-497-8402>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

2.812 inches

**Diameter:**

1.500 inches

**Length:**

2.688 inches

**Environmental Protection:**

Humidity proof and vibration proof

**Ambient Temperature At Full Rated Power:**

-40.0 degrees fahrenheit and 150.0 degrees fahrenheit

**Operating Speed At Rated Capacity In Rpm:**

3500.0

**Electrical Connection Type:**

Terminal block

**Outlet Inside Width:**

0.656 inches

**Outlet Inside Height:**

1.875 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange and 4 threaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

10.0 cubic feet per minute

**Outlet Location:**

Bottom

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.012 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical down

**Phase:**

Single

**Height:**

4.313 inches

**Material:**

Steel blade

**Quantity:**

1

**Surface Treatment:**

Zinc blade

**Surface Treatment Specification:**

Qq-z-325, type 2, cl 2 federal specification single treatment response

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0