

View Online at <https://aerobasegroup.com/nsn/4140-00-499-5726>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Length:**

5.000 inches

**Environmental Protection:**

Moisture resistant and shock proof and vibration proof

**Ambient Temperature At Full Rated Power:**

-55.0 degrees celsius and 71.0 degrees celsius

**Electrical Connection Type:**

Wire lead

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Rotation Direction For Which Designed:**

Counterclockwise

**Outlet Location:**

Top

**Voltage In Volts And Current Type:**

208.0 ac

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical up

**Phase:**

Three

**Height:**

5.560 inches

**Material:**

Steel

**Quantity:**

1

**Surface Treatment:**

Paint housing outside

**Style Designator:**

Fixed, rectangular outlets

**Test Data Document:**

13499-009-3124-010 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A087a0