

View Online at <https://aerobasegroup.com/nsn/4140-00-499-5726>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

5.000 inches

Environmental Protection:

Moisture resistant and shock proof and vibration proof

Ambient Temperature At Full Rated Power:

-55.0 degrees celsius and 71.0 degrees celsius

Electrical Connection Type:

Wire lead

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Rotation Direction For Which Designed:

Counterclockwise

Outlet Location:

Top

Voltage In Volts And Current Type:

208.0 ac

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Vertical up

Phase:

Three

Height:

5.560 inches

Material:

Steel

Quantity:

1

Surface Treatment:

Paint housing outside

Style Designator:

Fixed, rectangular outlets

Test Data Document:

13499-009-3124-010 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A087a0