NSN 4140-00-505-1684

Centrifugal Fan - Page 1 of 1



View Online at https://aerobasegroup.com/nsn/4140-00-505-1684

Speed Adjustments:
Single speed
Width:
20.468 inches
Length:
32.187 inches
Ambient Tempurature At Full Rated Power:
0.0 degrees celsius and 85.0 degrees celsius
Electrical Connection Type:
Connector
Static Pressure At Specificationified Air Flow Rate:
0.75 inches of water
Drive Type:
Direct
Prime Mover Type:
Electric motor
Inclosure Type:
Fully enclosed
Mounting Facility Type And Quantity:
4 slot
Air Flow Rate:
Air Flow Rate: 780.0 cubic feet per minute
780.0 cubic feet per minute
780.0 cubic feet per minute Voltage In Volts And Current Type:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics: As differentiated by the source control dwg no.
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics: As differentiated by the source control dwg no. Shelf Life:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics: As differentiated by the source control dwg no. Shelf Life: N/a
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics: As differentiated by the source control dwg no. Shelf Life: N/a
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics: As differentiated by the source control dwg no. Shelf Life: N/a Unit Of Measure:
780.0 cubic feet per minute Voltage In Volts And Current Type: 200.0 ac Phase: Single Height: 2.500 inches Style Designator: Fixed, dual, rectangular outlets Reference Number Differentiating Characteristics: As differentiated by the source control dwg no. Shelf Life: N/a Unit Of Measure: Demilitarization: