

View Online at <https://aerobasegroup.com/nsn/4140-00-507-9026>

**Speed Adjustments:**

Single speed

**Length:**

1.645 inches

**Flow Direction:**

Outward

**Operating Speed At Rated Capacity In Rpm:**

2050.0 and 2450.0 and 2550.0

**Electrical Connection Type:**

Terminal

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 flange and 8 unthreaded hole

**Rotation Direction For Which Designed:**

Clockwise

**Air Flow Rate:**

20.0 cubic feet per minute and 25.0 cubic feet per minute and 26.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.041 horsepower

**Housing Inside Diameter:**

2.170 inches

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Phase:**

Single

**Special Features:**

3.125 in. Sq flange both ends @venturi tube

**Frequency In Hertz:**

50.0 and 60.0 and 400.0

**Material:**

Aluminum alloy housing

**Surface Treatment:**

Paint housing

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fig:**

A087a0