

View Online at <https://aerobasegroup.com/nsn/4140-00-535-4627>

Diameter:

6.200 inches

Environmental Protection:

Splash proof

Ambient Temperature At Full Rated Power:

85.0 degrees celsius and 139.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

3350.0

Outlet Inside Width:

4.969 inches

Outlet Inside Height:

2.125 inches

Static Pressure At Specificationified Air Flow Rate:

3.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Partially enclosed

Mounting Facility Type And Quantity:

1 clamp

Rotation Direction For Which Designed:

Counterclockwise

Features Provided:

Nonsparking

Air Flow Rate:

425.000 cubic feet per minute

Voltage In Volts And Current Type:

208.0 ac or 440.0 ac

Prime Mover Power Rating:

0.750 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Angular down and angular up and horizontal and vertical down and vertical up

Phase:

Three

Material:

Steel

Surface Treatment:

Primer housing outside and enamel housing outside

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0