

View Online at <https://aerobasegroup.com/nsn/4140-00-555-2579>

Length:

6.060 inches

Environmental Protection:

Dustproof

Operating Speed At Rated Capacity In Rpm:

3100.0

Electrical Connection Type:

Terminal block

Outlet Inside Width:

0.938 inches

Outlet Inside Height:

2.875 inches

Static Pressure At Specificationified Air Flow Rate:

1.4 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Partially enclosed

Mounting Facility Type And Quantity:

1 flange and 4 threaded hole

Rotation Direction For Which Designed:

Clockwise

Features Provided:

Nonsparking

Air Flow Rate:

86.0 cubic feet per minute

Outlet Location:

Top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.070 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Angular down and angular up and horizontal and vertical down and vertical up

Phase:

Single

Special Features:

Flanged discharge outlet and adjustable direction of discharge

Frequency In Hertz:

50.0 and 60.0

Height:

6.410 inches

Material:

Steel housing

Surface Treatment:

Cadmium blade

Style Designator:

Fixed, rectangular outlets

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0