NSN 4140-00-630-2153

Tubeaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-630-2153

| Speed Adjustments: |
|--|
| Single speed |
| Width: |
| 2.250 inches |
| Diameter: |
| 2.000 inches |
| Length: |
| 2.000 inches |
| Flow Direction: |
| Outward |
| Environmental Protection: |
| Dustproof |
| Ambient Tempurature At Full Rated Power: |
| -55.0 degrees celsius and 85.0 degrees celsius |
| Operating Speed At Rated Capacity In Rpm: |
| 12500.0 |
| Electrical Connection Type: |
| Wire lead |
| Static Pressure At Specificationified Air Flow Rate: |
| 0.0 inches of water |
| Drive Type: |
| Direct |
| Prime Mover Type: |
| Electric motor |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Type And Quantity: |
| 1 flange and 4 unthreaded hole |
| Rotation Direction For Which Designed: |
| Counterclockwise |
| Air Flow Rate: |
| 27.0 cubic feet per minute |
| Voltage In Volts And Current Type: |
| 115.0 ac |
| Prime Mover Power Rating: |
| 0.035 horsepower |
| Housing Inside Diameter: |
| 1.750 inches |
| Prime Mover Drive Shaft Bearing Type: |
| Ball |
| Phase: |
| Single |

NSN 4140-00-630-2153

Tubeaxial Fan - Page 2 of 2



| Frequency In Hertz: |
|---------------------|
| 330.0 and 1200.0 |

Height:

2.250 inches

Material:

Aluminum alloy blade

Surface Treatment:

Paint housing outside

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A087a0