

View Online at <https://aerobasegroup.com/nsn/4140-00-640-6120>

Stage Quantity:

1

Speed Adjustments:

Single speed

Diameter:

14.000 inches

Length:

22.000 inches

Flow Direction:

Outward

Environmental Protection:

Splash proof

Ambient Temperature At Full Rated Power:

50.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

3500.0

Electrical Connection Type:

Terminal block

Static Pressure At Specificationified Air Flow Rate:

2.5 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

2 flange

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

2100.0 cubic feet per minute

Voltage In Volts And Current Type:

345.0 dc

Prime Mover Power Rating:

1.100 horsepower

Housing Inside Diameter:

14.969 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Material:

Steel housing

Material Specification:

Qq-s-698, comp 1009 federal specification single material response housing

Quantity:

1

Surface Treatment:

Zinc housing outside

Style Designator:

Fixed

Reference Number Differentiating Characteristics:

As differentiated by csbh

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0