

View Online at <https://aerobasegroup.com/nsn/4140-00-683-8803>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

7.781 inches

**Diameter:**

5.000 inches

**Environmental Protection:**

Corrosion resistant and fungus resistant and moisture resistant

**Ambient Temperature At Full Rated Power:**

-28.0 degrees celsius and 65.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

3240.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

1.422 inches

**Outlet Inside Height:**

2.750 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange

**Rotation Direction For Which Designed:**

Counterclockwise

**Features Provided:**

Nonsparking and safety impeller guard

**Air Flow Rate:**

170.0 cubic feet per minute

**Outlet Location:**

Top

**Voltage In Volts And Current Type:**

208.0 ac

**Prime Mover Power Rating:**

0.203 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Vertical up

**Phase:**

Three

**Height:**

7.219 inches

**Material:**

Steel

**Surface Treatment:**

Zinc blade

**Style Designator:**

Fixed, rectangular outlets

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0