

View Online at <https://aerobasegroup.com/nsn/4140-00-683-8804>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

2.906 inches

**Diameter:**

2.000 inches

**Length:**

Between 3.874 inches and 4.062 inches

**Ambient Temperature At Full Rated Power:**

0.0 degrees celsius and 65.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

19000.0

**Electrical Connection Type:**

Terminal block

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

1 flange

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

12.0 cubic feet per minute

**Voltage In Volts And Current Type:**

200.0 ac

**Prime Mover Power Rating:**

0.052 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Horizontal

**Phase:**

Three

**Height:**

3.468 inches

**Material:**

Aluminum

**Surface Treatment:**

Anodize blade

**Style Designator:**

Fixed, rectangular outlets

**Test Data Document:**

10001-2515276 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0