

View Online at <https://aerobasegroup.com/nsn/4140-00-723-4107>

Width:

Between 10.000 inches and 10.312 inches

Length:

5.000 inches

Environmental Protection:

Humidity proof and fungus proof

Ambient Temperature At Full Rated Power:

-40.0 degrees celsius and 85.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

5300.0

Electrical Connection Type:

Terminal

Outlet Inside Width:

2.625 inches

Outlet Inside Height:

2.000 inches

Static Pressure At Specificationified Air Flow Rate:

0.5 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

220.000 cubic feet per minute

Outlet Location:

Top

Voltage In Volts And Current Type:

416.0 ac

Prime Mover Power Rating:

0.083 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Horizontal

Phase:

Three

Frequency In Hertz:

400.0

Height:

5.968 inches

Material:

Steel

Quantity:

2

Surface Treatment:

Enamel housing outside

Style Designator:

Fixed, dual impeller, rectangular outlet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0