

View Online at <https://aerobasegroup.com/nsn/4140-00-735-9309>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

6.250 inches

Flow Direction:

Inward

Ambient Temperature At Full Rated Power:

0.0 degrees celsius and 50.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

8000.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Partially enclosed

Mounting Facility Type And Quantity:

1 flange and 6 unthreaded hole

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

290.000 cubic feet per minute

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.225 horsepower

Housing Inside Diameter:

4.900 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Material:

Aluminum

Style Designator:

Fixed

Test Data Document:

90536-909869-00 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0