NSN 4140-00-757-3047

Circulating Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-757-3047 **Speed Adjustments:** Two speed Length: 2.860 inches Flow Direction: Inward **Environmental Protection:** Fungus resistant and humidity proof **Operating Speed At Rated Capacity In Rpm:** 3150.0 **Electrical Connection Type:** Terminal block Static Pressure At Specificationified Air Flow Rate: 0.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Partially enclosed **Mounting Facility Type And Quantity:** 1 ring **Rotation Direction For Which Designed:** Clockwise Air Flow Rate: Between 29.000 cubic feet per minute and 38.000 cubic feet per minute **Voltage In Volts And Current Type:** 115.0 ac **Prime Mover Power Rating:** 0.012 horsepower **Prime Mover Drive Shaft Bearing Type:** Ball Phase: Single Frequency In Hertz: 60.0 and 400.0 Material: Aluminum **Surface Treatment:**

Anodize

Style Designator:

Fixed

NSN 4140-00-757-3047

Circulating Fan - Page 2 of 2



				-
C I	20	lŧ.	l i	fe:
J.	16		_,	ıc.

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0