

View Online at <https://aerobasegroup.com/nsn/4140-00-762-7372>

Stage Quantity:

1

Speed Adjustments:

Single speed

Width:

6.624 inches

Diameter:

3.500 inches

Length:

6.250 inches

Ambient Temperature At Full Rated Power:

-55.0 degrees celsius and 75.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

5650.0

Electrical Connection Type:

Wire lead

Outlet Inside Width:

2.719 inches

Outlet Inside Height:

2.500 inches

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

1 flange

Rotation Direction For Which Designed:

Counterclockwise

Features Provided:

Nonsparking

Air Flow Rate:

280.0 cubic feet per minute

Outlet Location:

Bottom or top

Voltage In Volts And Current Type:

115.0 ac

Prime Mover Power Rating:

0.020 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Angular down and angular up and horizontal and vertical down and vertical up

Phase:

Three

Height:

6.880 inches

Material:

Steel

Quantity:

1

Surface Treatment:

Zinc blade

Style Designator:

Fixed, rectangular outlets

Test Data Document:

10001-28552 83 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0