

View Online at <https://aerobasegroup.com/nsn/4140-00-838-0768>

**Speed Adjustments:**

Single speed

**Width:**

4.820 inches

**Length:**

4.250 inches

**Flow Direction:**

Inward

**Environmental Protection:**

Shock proof

**Operating Speed At Rated Capacity In Rpm:**

3450.0

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Mounting Facility Type And Quantity:**

1 flange

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

115.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Phase:**

Single

**Frequency In Hertz:**

48.0 and 63.0 and 350.0 and 450.0

**Height:**

4.820 inches

**Surface Treatment:**

Anodize

**Style Designator:**

Fixed

**Test Data Document:**

14304-392-1404 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0