## NSN 4140-00-844-7680

Vaneaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-844-7680 **Speed Adjustments:** Single speed Length: 1.470 inches Flow Direction: Outward **Ambient Tempurature At Full Rated Power:** 125.0 degrees celsius **Operating Speed At Rated Capacity In Rpm:** 11000.0 **Electrical Connection Type:** Terminal Static Pressure At Specificationified Air Flow Rate: 0.0 inches of water **Drive Type:** Direct **Prime Mover Type:** Electric motor **Inclosure Type:** Fully enclosed **Mounting Facility Type And Quantity:** 3 lug and 3 unthreaded hole **Rotation Direction For Which Designed:** Counterclockwise Air Flow Rate: 30.0 cubic feet per minute **Voltage In Volts And Current Type:** 115.0 ac **Prime Mover Power Rating:** 11.0 watts **Housing Inside Diameter:** 1.890 inches **Prime Mover Drive Shaft Bearing Type:** Ball Phase: Single Frequency In Hertz: 400.0 Material: Aluminum **Unpackaged Unit Weight:** 

0.260 pounds

## NSN 4140-00-844-7680

Vaneaxial Fan - Page 2 of 2

Mil-e-5557 spec.



Surface Treatment:
Enamel
Surface Treatment Specification:
Mil-e-5557, type 4 military specification single treatment response
Style Designator:
Fixed
Shelf Life:
N/a
Unit Of Measure:
Demilitarization:
No
Fiig:
A087a0
Mil-std (military Standard):