NSN 4140-00-849-8371

Vaneaxial Fan - Page 1 of 2



View Online at https://aerobasegroup.com/nsn/4140-00-849-8371

| Stage Quantity: |
|---|
| 1 |
| Speed Adjustments: |
| Single speed |
| Diameter: |
| 13.464 inches |
| Length: |
| 21.000 inches |
| Flow Direction: |
| Outward |
| Ambient Tempurature At Full Rated Power: |
| - |
| 50.0 degrees celsius Operating Speed At Rated Capacity In Rpm: |
| 3510.0 |
| |
| Electrical Connection Type: Terminal block |
| |
| Drive Type: |
| Direct |
| Prime Mover Type: |
| |
| Inclosure Type: |
| Fully enclosed |
| Mounting Facility Type And Quantity: |
| 1 flange |
| Rotation Direction For Which Designed: |
| Counterclockwise |
| Features Provided: |
| Air filter |
| Voltage In Volts And Current Type: |
| 440.0 ac |
| Prime Mover Power Rating: |
| 7.500 horsepower |
| Housing Inside Diameter: |
| 15.500 inches |
| Prime Mover Drive Shaft Bearing Type: |
| Ball |
| Phase: |
| Three |
| Frequency In Hertz: |
| 60.0 |
| Material: |
| Aluminum alloy housing |

NSN 4140-00-849-8371

Vaneaxial Fan - Page 2 of 2



Material Specification:

Qq-a-601, t6 federal specification single material response housing

Quantity:

1

Surface Treatment:

Zinc housing outside

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A087a0