

View Online at <https://aerobasegroup.com/nsn/4140-00-865-3272>

**Stage Quantity:**

1

**Speed Adjustments:**

Single speed

**Width:**

12.750 inches

**Length:**

7.750 inches

**Environmental Protection:**

Corrosion resistant and moisture resistant and vibration proof

**Ambient Temperature At Full Rated Power:**

0.0 degrees fahrenheit and 100.0 degrees fahrenheit

**Operating Speed At Rated Capacity In Rpm:**

1700.0

**Electrical Connection Type:**

Wire lead

**Outlet Inside Width:**

4.250 inches

**Outlet Inside Height:**

3.438 inches

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Mounting Facility Type And Quantity:**

2 flange and 8 unthreaded hole

**Rotation Direction For Which Designed:**

Clockwise and counterclockwise

**Features Provided:**

Safety impeller guard

**Air Flow Rate:**

500.0 cubic feet per minute

**Outlet Location:**

Bottom

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.194 horsepower

**Prime Mover Drive Shaft Bearing Type:**

Ball

**Discharge Direction:**

Horizontal

**Phase:**

Single

**Height:**

8.062 inches

**Material:**

Steel

**Quantity:**

2

**Surface Treatment:**

Enamel blade

**Style Designator:**

Fixed, dual impeller, rectangular outlet

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fig:**

A087a0