

View Online at <https://aerobasegroup.com/nsn/4140-00-873-3437>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

3.500 inches

Flow Direction:

Inward

Environmental Protection:

Explosion proof

Ambient Temperature At Full Rated Power:

-55.0 degrees celsius and 71.0 degrees celsius

Operating Speed At Rated Capacity In Rpm:

12000.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Partially enclosed

Mounting Facility Type And Quantity:

1 flange

Rotation Direction For Which Designed:

Clockwise

Features Provided:

Nonsparking

Air Flow Rate:

86.0 cubic feet per minute

Voltage In Volts And Current Type:

204.0 ac

Prime Mover Power Rating:

400.000 watts

Housing Inside Diameter:

4.500 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Material:

Aluminum

Surface Treatment:

Anodize housing inside

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fig:

A087a0