NSN 4140-00-912-1904

Tubeaxial Fan - Page 1 of 2

Enamel housing



View Online at https://aerobasegroup.com/nsn/4140-00-912-1904

Speed Adjustments	
Single speed	
Width:	
4.690 inches	
Length:	
1.500 inches	
Flow Direction:	
Inward	
Operating Speed At	Rated Capacity In Rpm:
3300.0	
End Application:	
W/s: radar system an	vpq-1; deep submergence systems programs (dssp); sturgeon class ssn (637); los angeles class ssn (688); sonar
sets, an/bqs-14a/15;	torpedo, adcap 48; sonar acoustic miscellaneous; ticonderoga class cg (47); aircraft, (ac-130h, mc-130h, ec-130e,
nc-130); communica	ions systems, an/wrr-7
Electrical Connectio	n Type:
Terminal block	
Static Pressure At S	pecificationified Air Flow Rate:
0.0 inches of water	
Drive Type:	
Direct	
Prime Mover Type:	
Electric motor	
Inclosure Type:	
Fully enclosed	
Mounting Facility Ty	pe And Quantity:
2 flange and 8 unthre	aded hole
Rotation Direction F	or Which Designed:
Counterclockwise	
Air Flow Rate:	
117.0 cubic feet per r	inute
Voltage In Volts And	Current Type:
115.0 ac	
Prime Mover Power	Rating:
0.016 horsepower	
Housing Inside Dian	eter:
4.500 inches	
Phase:	
Single	
Frequency In Hertz:	
50.0 and 60.0	
Material:	
Plastic blade	
Surface Treatment:	

NSN 4140-00-912-1904

Tubeaxial Fan - Page 2 of 2



Style Designator:

Fixed

Test Data Document:

13499-009-1784-040 drawing (this is the basic governing drawing, such as a contractor drawing, original equipment manufacturer drawing, etc.; excludes any specification, standard or other document that may be referenced in a basic governing drawing)

Shelf Life:

N/a

Unit Of Measure:

Demilitarization:

No

Fiig:

A087a0