

View Online at <https://aerobasegroup.com/nsn/4140-00-941-4098>

Stage Quantity:

1

Diameter:

Between 7.216 inches and 7.218 inches

Length:

Between 7.190 inches and 7.280 inches

Flow Direction:

Inward

Operating Speed At Rated Capacity In Rpm:

11400.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

12.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Mounting Facility Type And Quantity:

1 flange and 8 unthreaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

901.000 cubic feet per minute

Voltage In Volts And Current Type:

200.0 ac

Prime Mover Power Rating:

2.750 horsepower

Housing Inside Diameter:

Between 7.190 inches and 7.280 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Material:

Magnesium alloy blade

Material Specification:

Qq-m-56 federal specification single material response blade

Quantity:

1

Surface Treatment:

Dichromate blade and primer blade and lacquer blade

Style Designator:

Fixed

Reference Number Differentiating Characteristics:

As differentiated by source control dwg no. 114e4041-2, fscm 77272

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

Yes - demil/mli

Fiig:

A087a0