

View Online at <https://aerobasegroup.com/nsn/4140-00-968-4358>

Speed Adjustments:

Single speed

Width:

Between 7.063 inches and 7.187 inches

Length:

Between 7.157 inches and 7.281 inches

Environmental Protection:

Humidity proof and shock proof and vibration proof

Ambient Temperature At Full Rated Power:

-45.0 degrees fahrenheit and 145.0 degrees fahrenheit

Operating Speed At Rated Capacity In Rpm:

3700.0

Electrical Connection Type:

Wire lead

Outlet Inside Width:

4.250 inches

Outlet Inside Height:

1.420 inches

Static Pressure At Specificationified Air Flow Rate:

2.5 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

6 threaded insert

Rotation Direction For Which Designed:

Clockwise

Air Flow Rate:

174.0 cubic feet per minute

Outlet Location:

Top

Voltage In Volts And Current Type:

208.0 ac

Prime Mover Power Rating:

0.250 horsepower

Prime Mover Drive Shaft Bearing Type:

Ball

Discharge Direction:

Vertical up

Phase:

Three

Frequency In Hertz:

400.0

Height:

Between 7.719 inches and 7.843 inches

Material:

Steel

Surface Treatment:

Zinc blade

Style Designator:

Fixed, inverted, rectangular outlet

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0