

View Online at <https://aerobasegroup.com/nsn/4140-00-968-7367>

Stage Quantity:

1

Speed Adjustments:

Single speed

Length:

2.000 inches

Flow Direction:

Outward

Ambient Temperature At Full Rated Power:

-45.0 degrees fahrenheit and 145.0 degrees fahrenheit

Operating Speed At Rated Capacity In Rpm:

10000.0

Electrical Connection Type:

Wire lead

Static Pressure At Specificationified Air Flow Rate:

0.0 inches of water

Drive Type:

Direct

Prime Mover Type:

Electric motor

Inclosure Type:

Fully enclosed

Mounting Facility Type And Quantity:

1 flange and 4 threaded hole

Rotation Direction For Which Designed:

Counterclockwise

Air Flow Rate:

27.0 cubic feet per minute

Voltage In Volts And Current Type:

200.0 ac

Prime Mover Power Rating:

0.134 horsepower

Housing Inside Diameter:

2.044 inches

Prime Mover Drive Shaft Bearing Type:

Ball

Phase:

Three

Frequency In Hertz:

400.0

Material:

Aluminum alloy

Surface Treatment:

Anodize

Surface Treatment Specification:

Mil-a-8625, type 2, cl 1 military specification single treatment response

Style Designator:

Fixed

Shelf Life:

N/a

Unit Of Measure:

--

Demilitarization:

No

Fiig:

A087a0

Mil-std (military Standard):

Mil-a-8625 spec.