

View Online at <https://aerobasegroup.com/nsn/4140-00-985-8202>

**Speed Adjustments:**

Three speed

**Width:**

3.875 inches

**Length:**

4.170 inches

**Flow Direction:**

Inward

**Environmental Protection:**

Dustproof and explosion proof

**Ambient Temperature At Full Rated Power:**

-54.0 degrees celsius and 71.0 degrees celsius

**Operating Speed At Rated Capacity In Rpm:**

2300.0

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

4 unthreaded hole

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

40.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.040 horsepower

**Phase:**

Single

**Special Features:**

Additional operating speeds 3100.0 rpm and 4000.0 rpm

**Frequency In Hertz:**

50.0 and 60.0 and 400.0

**Height:**

3.875 inches

**Material:**

Aluminum

**Surface Treatment:**

Anodize

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

Yes - demil/mli

**Fiig:**

A087a0