

View Online at <https://aerobasegroup.com/nsn/4140-00-990-3311>

**Speed Adjustments:**

Single speed

**Width:**

4.688 inches

**Length:**

1.500 inches

**Flow Direction:**

Inward

**Operating Speed At Rated Capacity In Rpm:**

3300.0

**End Application:**

W/s: spruance class dd (963); snap i, an/uyk-6 (v); sturgeon class ssn (637); ticonderoga class cg (47); deep submergence system programs (dssp); defense meteorological satellite program (dmisp); teletype, model 28; missile, tomahawk; los angeles class ssn (688)

**Electrical Connection Type:**

Wire lead

**Static Pressure At Specificationified Air Flow Rate:**

0.0 inches of water

**Drive Type:**

Direct

**Prime Mover Type:**

Electric motor

**Inclosure Type:**

Fully enclosed

**Mounting Facility Type And Quantity:**

2 flange

**Rotation Direction For Which Designed:**

Counterclockwise

**Air Flow Rate:**

117.0 cubic feet per minute

**Voltage In Volts And Current Type:**

115.0 ac

**Prime Mover Power Rating:**

0.016 horsepower

**Housing Inside Diameter:**

4.500 inches

**Phase:**

Single

**Special Features:**

12.000 in. Wire leads

**Frequency In Hertz:**

50.0 and 60.0

**Height:**

4.688 inches

**Material:**

Plastic blade

**Surface Treatment:**

Enamel housing outside

**Style Designator:**

Fixed

**Shelf Life:**

N/a

**Unit Of Measure:**

--

**Demilitarization:**

No

**Fiig:**

A087a0